



SERVICING THE WORLD WITH HIGH TEMPERATURE TEXTILES

TDS-110W
April 2017

AVSIL® 84CH® SILICA FABRIC

Product Description

Silica Fabric is the preferred choice in the thermal protection of equipment and personnel in high temperature applications. **AVSil® Silica Fabric 84CH®** can withstand molten metal temperatures and can protect personnel and equipment at **temperatures up to 1,800°F (1,000°C)**. **AVSil® 84CH®** can be used for fabricating **welding drop cloths, stress relief blankets, protective screens/covers, furnace curtains, insulation mats and cable tray wraps**. **AVSil® Silica Fabrics** are used extensively in the Power Generation (Nuclear Approved), Refinery, Shipbuilding, Ship Repair and Metal Processing Industries.

Features

- Fireproof
- Resists high temperature sparks, flame and low levels of molten metal
- High Strength and Flexibility
- Easily Sewn and Fabricated

Benefits

- Protects Equipment and Personnel in light to medium duty Welding Applications
- Protects Against Hot Work Fires
- Wide Product Variety (Blankets, Curtains, Mats...)

Technical Data

PROPERTIES

	AVSIL® 84CH®
Silicon Dioxide Content	96% or Greater
Nominal Weight (oz./yd ² /gms/m ²)	18/610
Nominal Thickness (in./mm)	0.030/0.75
Weave Construction	8 Harness Satin
Melt Point	3,000°F/1649°C

Notes:

1. Standard roll length is 50 yards.
2. AVSil® 84CH® is available at widths of 36 and 60 inches.
3. AVSil® Silica fabrics can meet Military Specs MIL-C-24576A (SH) and MIL-I-24244C upon request.
4. A proprietary surface finish is applied for improved handling at low temperatures.
5. AVSil® fabrics are amorphous silica textiles, and contain no asbestos or ceramic fibers.

AVS Industries, LLC cannot predict all of the potential applications for which customers may attempt to use the AVSil® Silica Products. AVSil® Silica Products will have varying degrees of effectiveness for each potential application depending on the maximum temperature attained, the length of use, and the amount of temperature fluctuation. If the customer has any questions regarding the use of AVSil® Silica Products in a particular application, please contact AVS Industries, LLC at (302) 221-1720 and we will provide a sample of the AVSil® Silica Products for testing. This product is not warranted against injuries or damages of any kind caused by uses for which this product was not designed, intended, or tested by AVS Industries, LLC.