



SERVICING THE WORLD WITH HIGH TEMPERATURE TEXTILES

TDS-112W
October 2016

AVSIL® 188CH® SILICA FABRIC

Product Description

Amorphous Silica Fabric is the preferred choice in the thermal protection of equipment and personnel in high temperature applications. **AVSil® Silica Fabric 188CH®** can withstand molten metal temperatures and can protect personnel and equipment at **temperatures up to 1,800°F (1000°C)**. **AVSil® 188CH®** can be used for fabricating **welding drop cloths, stress relief blankets, protective screens/covers, furnace curtains, insulation mats and cable tray wraps**. **AVSil® Amorphous Silica Fabrics** are used extensively in the Power Generation (Nuclear Approved), Refinery, Shipbuilding, Ship Repair and Metal Processing Industries.

Features

- Fireproof
- Resists Penetration of Weld “Slag” and Passes Welding “Burn Through” Test
- High Strength and Flexibility
- Easily Sewn and Fabricated

Benefits

- Protects Equipment and Personnel in the Toughest Welding Applications
- Protects Against Hot Work Fires
- Wide Product Variety (Blankets, Curtains, Mats)

Technical Data

PROPERTIES

	AVSIL® 188CH®
Silicon Dioxide Content	96% or Greater
Nominal Weight (oz./yd ² /gms/m ²)	36/1220
Nominal Thickness (in./mm)	0.060/1.52
Weave Construction	12 Harness Satin
Melt Point	3,000°F/1649°C

Notes:

1. Standard roll length is 50 yards
2. AVSil® 188CH® is available at widths of 36 and 60 inches.
3. AVSil® Silica fabrics will meet Military Specs MIL-C-24576A (SH) and MIL-I-24244C. Certs available upon request.
4. A proprietary surface finish is applied for improved handling at low temperatures.
5. AVSil® fabrics are amorphous silica textiles, and contain no asbestos or ceramic fibers.

AVS Industries, LLC cannot predict all of the potential applications for which customers may attempt to use the AVSil® Silica Products. AVSil® Silica Products will have varying degrees of effectiveness for each potential application depending on the maximum temperature attained, the length of use, and the amount of temperature fluctuation. If the customer has any questions regarding the use of AVSil® Silica Products in a particular application, please contact AVS Industries, LLC at (302) 221-1720 and we will provide a sample of the AVSil® Silica Products for testing. This product is not warranted against injuries or damages of any kind caused by uses for which this product was not designed, intended, or tested by AVS Industries, LLC.