



WHEN THE **HEAT** IS ON, KEEP YOUR COOL WITH **AVS!**

## Safety Data Sheet (SDS)

SDS-117  
May 2019

### Product: AVS Fiberglass Fabrics, Aluminum Foil

#### 1. Chemical Product and Company Identification

**Trade Name:** AVS FIBERGLASS

**Synonyms:** AVS FIBERGLASS      FABRICS      SLIT TAPES  
ALUMF 2025      STALUMF 2025  
ALUMF 701

**Manufacturer**

AVS Industries LLC  
21 Bellecor Drive  
Unit C  
New Castle, DE 19720

Phone Product Information (302) 221-1720  
Revision Date: May 31, 2019

#### DESCRIPTION

**No Hazard Rating is available for this Product.**

#### 2. Hazard Identification

Emergency Overview

Tan colored flexible woven fabric with no odor.

Effects of Overexposure:

Eye Contact: Slight irritation may be caused in contact with eyes.

Skin Contact: Temporary irritation of skin may be produced.

Inhalation: Inhalation of airborne fibers may cause irritation to the mouth, nose and throat.

Ingestion: May cause temporary irritation of the digestive tract, but not an expected route of entry in industrial uses.

Chronic Hazards: There are no known chronic health effects associated with the use of this product under normal working conditions.

Primary Routes of Entry: Skin contact, inhalation, ingestion & eye contact.

Carcinogenicity Information: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as carcinogen.

## Product: AVS Fiberglass Fabrics, Aluminum Foil

### 3. Composition and Information on Ingredients

Ingredient(s)	CAS Number	Approx. Percent
Fiberglass	65997-17-3	98%
Aluminum Foil	7429-90-5	1%
Proprietary Adhesive	None Assigned	1%

### 4. First Aid Information

Eye Contact: Flush eyes immediately with large amounts of water for at least 15 minutes holding eyelids open while flushing. Seek medical attention promptly.

Skin Contact: Wash contaminated skin thoroughly with mild soap and cool water. Seek medical attention if irritation persists.

Inhalation: Remove person from source of exposure and then seek medical attention immediately.

Ingestion: Seek medical attention immediately.

### 5. Fire Fighting Measures

Flash Point: N.A.

Lower Explosive Limit (%): N.A.

Upper Explosive Limit (%): N.A.

Autoignition Temperature: N.D.

Extinguishing Media: Carbon dioxide, water, foam or dry chemical for type of surrounding fire.

Unusual Fire & Explosion Hazards: During sustained fire irritating and/or toxic gases may be generated by combustion.

Fire Fighting Instructions: Wear full fire fighting protective equipment including self-contained breathing apparatus.

### 6. Accidental Release Measures

Step to be taken in case material is released or spilled:

Dust or loose fibers can be vacuumed or swept with the aid of a dust suppressant.

Dispose according to federal, state, and local environmental regulations.

### 7. Handling and Storage

Keep material in a clean dry place, and keep container closed.

Particular care should be taken when working with "used" material to minimize dust. If exposure limits are exceeded or if irritation is experienced, NIOSH approved respiratory protection should be worn.

## Product: AVS Fiberglass Fabrics, Aluminum Foil

### 8. Exposure Controls and Personal Protection

#### ENGINEERING CONTROLS:

Ventilation: General ventilation and/or local exhaust ventilation should be utilized to maintain exposures below the TLV.

Respiratory Protection: Use an approved disposable dust respirator designed for nuisance type dusts.

Eye Protection: Safety glasses with side shields or chemical splash goggles must be worn to prevent eye contact. A good safety practice is to have an eyewash station readily available near the work area.

Protective Clothing: Wear rubber gloves when handling this product. Personnel that are more susceptible to irritation from fibers or dusts should wear full-body coveralls.

Hygienic Practices: Use good personal hygiene practices. The use of protective creams before handling the material may prove beneficial.

#### EXPOSURE LIMITS:

8-hour Time Weighted Average (TWA); 15-minute Short-Term Exposure Limit (STEL)

OSHA: 15 mg/m<sup>3</sup> TWA. (total dust)

5 mg/m<sup>3</sup> TWA (respirable dust)

ACGIH: 5 mg/m<sup>3</sup> TWA (inhalable fraction)

1 fiber/cm<sup>3</sup> TWA (respirable fraction)

NIOSH: 5 mg/m<sup>3</sup> (total)

3 fibers/cm<sup>3</sup>

(fibers ≤ 3.5 micrometer in diameter and ≥10 micrometer in length)

### 9. Physical and Chemical Properties

#### PHYSICAL DATA:

Softening Point: 1555° F

Melting Point: 2075° F

Solubility in Water: Negligible

Vapor Pressure: N.D.

Vapor Pressure: N.D.

Specific Gravity: 2.5

Color: Off-white or tan colored

Odor: None

Physical State: Woven fabric

### 10. Stability and Reactivity

Chemical Stability: Product is stable at normal temperature and storage conditions.

Incompatibilities: Basic phosphates, hydrofluoric acid, and some oxides and hydroxides.

Hazardous Polymerization: Hazardous polymerization will not occur under normal conditions.

Hazardous Combustion and Decomposition Products (Coating Only): Oxidation of the hydrocarbon coating produces carbon monoxide and carbon dioxide.

## Product: AVS Fiberglass Fabrics, Aluminum Foil

### 11. Toxicological Information

CARCINOGENICITY STATUS: This product is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

MEDICAL CONDITIONS AGGRAVATED: None known.

### 12. Ecological Information

No information is available; however, toxicity is expected to be low based on the insolubility in water of the product.

### 13. Disposal Considerations

Dispose of waste material in accordance with applicable federal, state, and local environmental regulations.

### 14. Transportation Information

DOT Proper Shipping Name: AVS FIBERGLASS FABRICS ALUMINUM FOIL

DOT Hazardous Class: None

DOT UN/NA Number: None

Emergency Response Guide Number: None

### 15. Regulatory Information

U.S. FEDERAL REGULATIONS AS FOLLOWS:

SARA Section 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR Part 372: None

TSCA: The chemical substances in this product are on the TSCA Section 8 Inventory.

EXPORT NOTIFICATION: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States: None

INTERNATIONAL REGULATIONS AS FOLLOWS:

Canadian WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

Canadian WHMIS CLASS: Not Regulated.

## Product: AVS Fiberglass Fabrics, Aluminum Foil

### 16. Other Information

This Material Safety Data Sheet was revised in its entirety in May 2019.

#### ABBREVIATIONS:

- 1) ACGIH – American Conference of Governmental Industrial Hygienists
- 2) OSHA – Occupational Safety and Health Administration
- 3) NIOSH – National Institute of Occupational Safety and Health
- 4) IARC – International Agency for Research on Cancer
- 5) NTP – National Toxicology Program
- 6) TLV – Threshold Limit Value
- 7) PEL – Permissible Exposure Limit
- 8) TWA – Time Weighted Average
- 9) STEL – Short Term Exposure Limit
- 10) IDHL – Immediately Dangerous to Life or Health
- 11) N.A. – Not Applicable
- 12) N.D. – Not Determined
- 13) N.E. – Not Established
- 14) DSL – Domestic Substances List

THE ABOVE INFORMATION IS BELIEVED TO BE ACCURATE BASED ON THE MOST CURRENT DATA AVAILABLE. AVS INDUSTRIES MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND ASSUMES NO LIABILITY RESULTING FROM ITS USE. USERS ARE ADVISED TO CONDUCT THEIR OWN TESTS TO DETERMINE THE SAFETY AND SUITABILITY OF EACH PRODUCT OR PRODUCT COMBINATION FOR THEIR OWN PURPOSES. AVS INDUSTRIES SHALL NOT BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR INCIDENTAL OR CONSEQUENTIAL DAMAGES, HOWSOEVER ARISING EVEN IF AVS INDUSTRIES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.